



0086

Colas Ltd, Rowfant, Crawley, West Sussex RH10 4NF

Carnsew Quarry

12

0086-CPD-590156

DoP/CQ/S0604

EN 13108-5: 2006

**S0604**

SMA 6 surf 40/60 RED

Intended to be used for Surface Course

Target grading passing sieve

Sieve (mm)	Passing (%)
10	100
6.3	95
4	58
2	28
0.063	10.0

Target binder content (%)	7.2
Minimum temperature (°C)	160
Maximum Temperature (°C)	200