



Colas Ltd, Rowfant, Crawley, West Sussex RH10 4NF

Carnsew Quarry

14

DoP/CQ/13043/14C

EN 13043

14C

Aggregate Size	Designation	6.3/14mm
Grading	Tolerance Category	GC85/20
Shape of Coarse Aggregate	Category	FI35
Particle Density	Declared Value	2.67 Mg/m <sup>3</sup>
Water Absorption	Category	WA242
Fines Content	Category	f4
Resistance to fragmentation	Category	LA30
Polished Stone Value	Declared	PSV55
Aggregate Abrasion Value	Category	AAV10
Composition / content	Declared Values	Granite
Durability against freeze / thaw	Category	MS18