


## CE marking information – Colas Ltd

 0836	
<b>Colas Ltd, Wallage Lane, Rowfant</b> <b>West Sussex RH10 4NF</b>  <b>13</b>  C14 0836-CPR-13/F035	
<b>EN 13808</b> <i>Cationic bituminous emulsion</i>  <b>Leocatic Spray C55B3</b> <i>intended to be used for surface treatment as surface dressings or slurry systems (slurry seals and micro surfacing), tack coat, patching, repair of potholes, crack sealing, dust palliative, penetration, impregnation, plant mixed or mixed in place cold mixes (for base course, binder course or wearing course), cold recycling and more generally road construction and road maintenance</i>	
EMULSION	
<ul style="list-style-type: none"> <li>• Efflux 2 mm at 40°C</li> <li>• Water effect on binder adhesion – EN 13614</li> <li>• Breaking behaviour – EN 13075-1</li> </ul>	15-70 s Class 3 NR (Class 0) 70-155 (Class 3)
RECOVERED BINDER	
<ul style="list-style-type: none"> <li>• Penetration at 25°C</li> <li>• Softening point – EN 1427</li> <li>• Cohesion by pendulum – EN 13588</li> </ul>	≤ 220 (Class 5) ≥ 39 (Class 7) NR
STAGE 1 DURABILITY - STABILISED BINDER	
<ul style="list-style-type: none"> <li>• Durability of penetration at 25°C – EN 1426</li> <li>• Durability of softening point – EN 1427</li> <li>• Durability of cohesion by pendulum – EN 13588</li> </ul>	NPD NPD NR
STAGE 2 DURABILITY - AGED BINDER	
<ul style="list-style-type: none"> <li>• Durability of penetration at 25°C – EN 1426</li> <li>• Durability of softening point – EN 1427</li> <li>• Durability of cohesion by pendulum – EN 13588</li> </ul>	≤ 220 (Class 5) ≥ 43 (Class 6) NR
Dangerous regulated substances	NPD



0836

**Colas Ltd, Wallage Lane, Rowfant  
West Sussex RH10 4NF**

**13**

C14 0836-CPR-13/F035

***EN 13808***

***Cationic bituminous emulsion***

***Leocatic Spray C55B3***

*intended to be used for surface treatment as surface dressings or slurry systems (slurry seals and micro surfacing), tack coat, patching, repair of potholes, crack sealing, dust palliative, penetration, impregnation, plant mixed or mixed in place cold mixes (for base course, binder course or wearing course), cold recycling and more generally road construction and road maintenance*